





Recommended for Applications Requiring Safety From Wind-Borne Debris. Includes Tested and Approved, Glazing Components as Listed Below.

SPECIFICATIONS:



Material:	18 gauge galvanized frame. Max size 30" x 60-1/2"
Construction:	1-1/2" trim with mitered and welded corners. Continuous glass retainer, countersunk mounting holes on both sides.
Sealing:	<p>Between Frame & Glass: Sponge rubber, EPDM, neoprene press-on glazing tape 1/8" x 3/8". Dow Corning #995 (or equal) silicone structural glazing sealant applied per Dow Corning instructions.</p> <p>Between Door & Frame Perimeter: Closed cell EPDM press-on glazing tape 1/4" x 3/8" applied to inside face of lite kit frame.</p> <p>Screw Entry Points: We recommend that a Neoprene "O"-Ring, 7/32" I.D. with 1/16" wall, 50-70 Durometer, be used at each screw head. (provided by others)</p> <p>Setting Blocks to Suit: EPDM or neoprene setting blocks 1/16" minimum thickness at quarter points of bottom of glass and elsewhere as needed.</p>
Finish:	___ (B) Mineral Bronze ___ (G) Gray Primer
Door:	For 1-3/4" to 3" door.
Fasteners:	#8 x 32 Phillips head thru bolts with blank head one side.
Glass:	Glass 5/16" thick configuration; (2) 1/8" heat-strengthened glass lites separated by 0.075" interlayer.



OPTIONS AT ADDITIONAL COST:

Mullions:	Factory welded to vision lite & painted. See VSL-G Page in this section to order.
------------------	--

Severe Windstorm Approved Vision Frame

Tested in Accordance with W/N 14474
 ASTM E330, ASTM E1886, ASTM E1996
 ANSI A250.13
 Impact (ft lb) 350
 Missile Level D Structural (PSF) +/- 70



Interpretation of Fire and Building Codes May Vary. Consult with the Local Authority Having Jurisdiction (AHJ) to determine appropriate standards.

	Distributor:	Width: _____ x Height: _____
	Architect:	Quantity:
	Contractor:	Model:
	Project:	Date: _____ Version: ALSPDS1001
HDQTRS:4450 WEST 78 TH ST CIR., BLOOMINGTON, MN 55435-5416 PH: 800-554-6077 FAX: 952-835-2218 EMAIL: SALES@AIRLOUVERS.COM VISIT WWW.ACTIVARCPG.COM FOR THE MOST UPDATED PRODUCT INFORMATION • AN ACTIVAR CONSTRUCTION PRODUCTS COMPANY ACPG WEST COAST (AIR LOUVERS MANUFACTURING):COMMERCE CA • WAREHOUSES:LANCASTER PA, ATLANTA GA, CHICAGO IL , Bloomington MN		